

EMINOPROTECT

Menopause
FORMULA




Dietary Supplement

60 tablets




Menopause commences with the absence of menstrual blood for a period of 12 consecutive months. It starts when the production of estrogen and progesterone is significantly lowered. It is a natural process of aging.

The Menopause Transition



Pre-menopause is the period prior to the transition to menopause. It may begin months or even years before the onset of menopause and ends with menopause. During this stage women experience irregular cycles (changes in the duration or even absence of a cycle) and menopause symptoms. Menopause is caused by depletion of primordial follicles in the ovaries. Women have maximum number of follicles in the 20th week of gestation. The pool of follicles decreases progressively until the age of 50, when this tank of follicles is depleted.




BEFORE AND AFTER MENOPAUSE HORMONAL CONCENTRATIONS

Before menopause

After menopause

Relatively less developed.
Reduction due to more rapid hepatic clearance and selective inhibition of FSH inhibin.




androgens concentration,
greater than estrogens

Mainly by aromatization
of androstenedione (D4)

Oestradiol Estrone Androstenedione Testosterone

ORGANIC CHANGES DURING MENOPAUSE



EMINOPROTECT

Vasomotor symptoms occur due to degeneration of temperature control process in the neutral zones of the hypothalamus. A woman around the average age of menopause has outbreaks of sweat (hot flashes) when the body slightly overheats and body chills when the body cools down. The symptoms are worse in the night resulting to bad quality sleep. These symptoms are caused by changes in the levels of estrogen and they gradually subside over time.

REASONS FOR SLEEP PROBLEMS DURING MENOPAUSE

 **PROGESTERONE = Sleep problems**

 **ESTROGENS = Sleep problems, secondary to the following conditions**

- Hot flushes
- Night sweats
- Mood disorders
- Bloating
- Abdominal cramps
- Nausea
- Headaches
- Itchy skin
- Muscle tension
- Joint aches
- Urinary incontinence

Due to its components **EMINOPROTECT** formula contributes to the natural function of the nervous system throughout menopause as well as to the normal synthesis and metabolism of steroid hormones and Vitamin D, therefore preserving normal bone density.

COMPOSITION IN ACTIVE INGREDIENTS	Per daily dose(1 tab)	% RDA
Don Quai extract (Angelica sinensis), 1% ligustilidi	120 mg	
Glycine max soy 40% isoflavones	80 mg	
Red clover dry extract (Trifolium pratense)	60 mg	
Vitamin B1 (thiamine)	0,7 mg	127,27%
Vitamin B5 (ca-d-pantothenate)	3 mg	50%
Magnesium (as magnesium oxide)	48 mg	12,8%

Bibliography: 1. Phytoestrogens for menopausal vasomotor symptoms. Lethaby A, Marjoribanks J, Kronenberg F, Roberts H, Eden J, Brown J. Cochrane Database Syst Rev. 2013 Dec 10;12:CD001395. doi: 10.1002/1465-3685.CD001395.pub4. 2. A six-month randomized controlled trial of whole soy and isoflavone dazidzin on body composition in equol-producing postmenopausal women with prehypertension. Liu ZM, Ho SC, Chen YM, Woo J. J Obstet Gynaecol Res. 2013;39:597-63. doi: 10.1155/2013/359763. Epub 2013 Aug 1. 3. Phytoestrogens and the metabolic syndrome. Jungbauer A, Medjakova S. J Steroid Biochem Mol Biol. 2014 Jan;139:294-301. doi: 10.1016/j.jsbmb.2012.07.002. Epub 2012 Dec 14. Review. 5. Soy foods, isoflavones, and the health of postmenopausal women. Messina M. Am J Clin Nutr. 2014 Jun;100(suppl 3):301-44. Epub 2013 Jun 1. Review. 7. Effect of soy isoflavone supplementation on vascular endothelial function and oxidative stress in postmenopausal women: a community randomized controlled trial. Puspianari Dharma R, Suyatna FD, Mansury M, Hidayah A, Asia Pac J Clin Nutr. 2013;22(3):357-64. doi: 10.1373/apcn.2012.322313. 7. Phytoestrogen and bone health at different reproductive stages. Castelo-Branco C, Soveral I. J Steroid Endocrinol. 2013 Aug;29(8):735-43. doi: 10.3109/09537390.2013.801441. Epub 2013 Jun 8. Review. 7. Effect of soy isoflavone supplementation on nitric oxide metabolism and blood pressure in postmenopausal women. Wong WW, Taylor A, Smith EO, Barnes S, Hachey DL, Am J Clin Nutr. 2012 Jun;95(6):1467-94. doi: 10.3945/jcn.111.032045. Epub 2012 Mar 1. Review. 8. Effect of soy consumption on bone mineral mass in menopausal females. de Luis DA, Alber R. Med Clin (Barc). 2012 Feb 4;139(2):60-1. doi: 10.1016/j.medcli.2011.09.007. Epub 2011 Oct 19. Spanish. 9. The role of soy foods in the treatment of menopausal symptoms. Lewis V, Grinbeler ML. J Nutr. 2010 Dec;140(12):2318S-2321S. doi: 10.3945/jn.110.124386. Epub 2010 Nov 3. Review. 10. Optimizing soy isoflavones effect in postmenopausal women: the impact of timing on climacteric symptoms. Cancelo Hidalgo MJ, Castelo Branco C, Gineco Endocrinol. 2011 Sep;27(9):696-700. doi: 10.3109/09537390.2010.526465. Epub 2010 Dec 21. 11. Isoflavones and cardiovascular disease. Cano A, García-Pérez MA, Tarín JJ, Maturitas. 2010 Nov;47(2):219-26. doi: 10.1016/j.inurstu.2010.07.015. Epub 2010 Aug 21. Review. 12. Soy isoflavones and bone mineral density in perimenopausal and postmenopausal Western women: a systematic review and meta-analysis of randomized controlled trials. Ricci E, Cipriani S, Chiattino F, Mazzetti M, Parazzini F. J Womens Health (Larchmt). 2010 Jan;19(1):49-53. Thurnham DM, Gardner CD, Haskell WL. Clinical review 97: Potential health benefits of dietary phytoestrogens: a review of the clinical, epidemiological, and mechanistic evidence. J Clin Endocrinol Metab. 2009 Jul;193(7):2223-35. Mann GE, Rowlands DJ, Li PY, de Winter P, Stow RC. Activation of endothelial nitric oxide synthase by dietary isoflavones: role of NO in Nrf2-mediated antioxidant gene expression. Cardiovasc Res. 2007 Jul;15(7):2261-74. Shafrazi F, Brambashi E, Heydari L, Haghghi L, Hosseini S, Shafrazi S. Effects of soybean on serum paracoximease activity in healthy postmenopausal women. Int J Food Sci Nutr. 2009 May;60(3):195-205. Paulo M, Salvador MM, dos Anjos Neto Fitho M, Montes MB, Franceschini SA, Tofoli MR. Effect of isoflavone extracts from Glycine max on human endothelial cell damage and on nitric oxide production. Menopause. 2009 May-Jun;16(3):264-9. Pipe EA, Capes SE, Dartington JW, Duncan AM. Soy protein reduces serum LDL cholesterol and the LDL cholesterol/HDL cholesterol and apolipoprotein B/apolipoprotein A-I ratios in adults with type 2 diabetes. J Nutr. 2009 Sep;139(9):1700-5. Effect of soy isoflavone extract on bone mineral density in menopausal women: meta-analysis of randomized controlled trials. Taku K, Melby ML, Takebayashi J, Mizuno S, Ishimi Y, Omoni T, Wakabayashi S, Asia Pac J Clin Nutr. 2010 Mar;19(1):33-42. 14. Effect of isoflavone extracts from glycine max on human endothelial cell damage and on nitric oxide production. Zhang YY, Zhao KJ, Tang YQ, Li L. Menopause. 2010 Mar;17(2):441. author reply 441-2. doi: 10.1097/gme.0b013e3181ce039c. Effect of isoflavone extracts from glycine max on human endothelial cell damage and on nitric oxide production. Zhang YY, Zhao KJ, Tang YQ, Li L. Menopause. 2010 Mar;17(2):441. author reply 441-2. doi: 10.1097/gme.0b013e3181ce039c. 15. Soy extract phytoestrogens with high dose of isoflavones for menopausal symptoms. Ferraria A. J Obstet Gynecol Res. 2009 Dec;35(6):1083-90. doi: 10.1111/j.1477-0756.2009.01089.x. 16. Soy isoflavones in the management of postmenopausal osteoporosis. Atmaca A, Kleerekoper M, Bayraktar M, Kuokk A. Menopause. 2008 Jul-Aug;15(4 Pt 1):568-57. doi: 10.1097/gme.0b013e31815c1e7f. 17. Soy isoflavone intake inhibits bone resorption and stimulates bone formation in menopausal women: meta-analysis of randomized controlled trials. Ma DF, Li Q, Wang PY, Katch E, Katch R. Eur J Clin Nutr. 2008 Feb;62(2):155-61. Epub 2007 Mar 28. 18. Albert A, Altbare C, Baro F, et al. Efficacy and safety of a phytoestrogen preparation derived from Glycine max (L.) Merr in climacteric symptomatology: a multicentric, open, prospective and non-randomized study. Phytotherapy. 2002 Mar;9(2):85-92. Angelica sinensis extract inhibits RANKL-mediated osteoclastogenesis by down-regulated the expression of NFATc1 in mouse bone marrow cells. Kong L, Zhao X, Wang X, Zhu J, Hao D, Yang D, Yang C. BMC Complement Altern Med. 2014 Dec 9;14:481. 19. Yang T, Jia M, Mei O. Effect of Angelica sinensis polysaccharide on lymphocyte proliferation and cytokine induction. Zhong Yao Ca. 2005 May;28(5):405-9. Anon. Monograph. Angelica sinensis. Altern Med Rev. 2004 Dec;9(4):429-33. Yang O, Populo S, Zhang J, Yang G, Kodama H. Effect of Angelica sinensis on the proliferation of human bone cells. Clin Chim Acta. 2002 Oct;324(1-2):89-97. Kuperstein C, Rolet C, Fagot R, Kaplan B. The immediate effect of natural plant extract, Angelica sinensis and Matricaria chamomilla (Oimed) for the treatment of hot flashes during menopause. A preliminary report. Clin Exp Obstet Gynecol. 2003;30(4):203-6. Estrogenic activity of standardized extract of Angelica sinensis. Cirrosa C, Pasquale RD, Palumbo DR, Sampeni S, Occhito F. Phytother Res. 2006 Aug;20(8):65-9. 19. Effects of Extracts from Trifolium medium L and Trifolium pratense L on Development of Estrogen Deficiency-Induced Osteoporosis in Rats. Cegie? U, Fawaz?na J, Pytki M, Zg?rk?a G. Evid Based Complement Alternat Med. 2012;2012:921684. doi: 10.1155/2012/921684. Epub 2012 Nov 29. 20. Effects of Trifolium pratense on the climacteric and sexual symptoms in postmenopausal women. di Giusto C, Fonseca A, Mognoli VR, Assis JS, Soares JM Jr, Baracat EC. Rev Assoc Med Bras. 2010 Sep;56(5):559-62. 21. Trifolium pratense isoflavones in the treatment of menopausal hot flashes: a systematic review and meta-analysis. Coon JT, Pittler MH, Ernst E. Phytotherapy. 2007 Feb;14(2):151-9. Epub 2007 Jan 18. Review. 22. Effects of supplementation with purified red clover (Trifolium pratense) isoflavones on plasma lipids and insulin resistance in healthy premenopausal women. Blakesmith SJ, Lyons-Wall PL, George C, Ioannou GE, Petocz P, Samman S, Br J Nutr. 2003 Apr;89(4):667-74. 23. Prim Care. 2002 Jun;29(2):297-321, vi. Gynecology: select topics. Sidani MI, Campbell J. J Midlife Women's Health. 2004 Nov-Dec;1(6):402-9. The use of herbs and dietary supplements in gynecology: an evidence-based review. Dennerby CEI. Ann J Clin Pharmacol. 2009 Fall;16(3):407-29. Epub 2009 Oct 29. Herbs, vitamins and minerals in the treatment of premenstrual syndrome: a systematic review. Whelan AM, Jurgens TM, Naylor H.

PRECAUTIONS • Do not exceed the recommended daily dose. • Dietary supplements should not be used as a substitute of a balanced diet. • Keep away from young children. • This product is not intended for the prevention, cure or treatment of a human disease. • Consult with your doctor if you are pregnant, breast-feeding, taking pharmaceutical treatment or having health problems.

Notification number of the EMEA: 5865/27-1-2016 / Medicines Agency (EMEA) does not serve as a distribution permit from the European Medicines Agency (EMEA)

DOSAGE

- Take 1 tablet once a day.