NEFROLIN

for a Healthy Urinary System

it helps improve the function of the urinary tract and the kidneys

Cranberry Orthosiphon



Dietary Supplement



Infections of the urinary tract

Acute pyelonephritis

Burning sensation with urination

Frequent urination

Nocturia (or excessive urination at night)

Kidney pain

SEVERE

SYMPTOMS

Caused by **GRAM**-(80% Escherichia Coli)



The infections of the **urinary system** may lead to **kidney stones**.

NEFROLIN

Solution based on plant extracts in liquid form:


- Arctostaphylos uva ursi (Archtostaphylos)
- Arbutina vaccinium vitis idea (Phenolic glycoside)
- Junipesis Communis (Terpene)
- Solidago virgaurea (Flavonoid)
- Fumaria officinalis (Propotini)
- Ceterach officina rum (Flavonoid)





CRANBERRY ES 23% of ANTHOKYANOSIDES

(Vaccinium macrocarpon) several clinical studies have shown that it decreases E-Coli penetration, preventing the occurence of infections.



The consumption of juice made of cranberry extracts can help reduce the infections of the urinary system that cause symptoms to elderly people who are hospitalized.

Doubleblindcontrolled study with Placebo.

Marione E.T. McMURDO

	.98		
Percentage of patients without urinary track infection, which potentially can form kidney stones	.96	+¬ •••• -	Drink
	.94	+***	Cranberry Juice +
e of pat ich pote	.92		□ Placebo +
Percentag whi	.90	++	
	.88	0 10 00 00 00	
		0 10 20 30 40 DAY TREATMENT	J
		Comparison of patients in the course of the symptoms of urinary track infections. The red line represents cranberry juice (or the 7 stages of infection), the black line represent placebo (or the 14 stages of infection). Test in hierarchy scale.	nts

COMPOSITION IN ACTIVE INGREDIENTS	Per daily dose (15 ml)
Orthosiphon stamineus fluid extract	0,45 g
Arctostaphylos uva-ursi fluid extract	2,25 g
Solidago virga-aurea fluid extract	1,05 g
Ceterach of f icinarum fluid extract	0,75 g
Juniperus communis fluid extract	0,75 g
Fumaria off icinalis fluid extract	0,75 g
Vaccinium vitis-idaea fluid extract	0,45 g
Vaccinium macrocarpum dry extract, td. to 30% in proanthocyanidine	0,15 g

RECOMMENDED IN CASES

that an improvement of the function of the urinary tract and the kidneys is required.

-DOSAGE

Take 5ml, 3 times a day.
Dissolve **5ml** of the solution in a glass of water.

PRECAUTIONS • Do not take the product in the following cases: Hypersensitivity to any of the ingredients. • Do not exceed the recommended daily dose. • Dietary supplements should not be used as a substitute of a balanced diet. • Keep away from young children. • This product is not intended for the prevention, cure or treatment of a human disease. • Consult with your doctor if you are pregnant, breast-feeding, taking pharmaceutical treatment or having health problems.

Notification number of the EMEA: 28347 / 8-4-2013 / Medicines Agency (EMEA) does not serve as a distribution permit from the European Medicines Agency (EMEA)